### EPA-USGS Collaboration for Hydrologic Condition Criteria

June 23, 2011

#### Review

- Purpose: Assist States and Tribes with hydrologic water quality criteria development to protect aquatic life designated uses
- Product: flexible, non-prescriptive, and concise informational document that includes case studies and considerations for quantification

•

### Schedule Review

- Introductory webinar (March 17)
  - Status: complete
- Part I: Problem formulation (April 25)
  - Status: Components in progress w/smaller sub-groups
- Part II: Narrative criteria- (June 23)
  - 1 mtg- teleconference/webinar on narrative language options
  - Interim product: Review and revision of strawman outline and language
- Part III: Quantification approaches an application considerations (July-Sept.)
  - 2 mtgs w/final mtg. face to face (as able)
  - Interim products: Chapter 4
- Final draft product (Oct.-Dec.)
  - Compilation, review, and comment incorporation

### **Narrative Criteria**

Chapter 3

### Objective

- Today: Review narrative criteria and discuss the outline and language for chapter 3 "Narrative Criteria", identify gaps, and revise/reorganize.
  - This chapter of the document will describe:
    - the purpose of narrative criteria,
    - key components of narrative hydrologic condition criteria,
    - examples,
    - Implementation in other programs and,
    - necessary policy and legal considerations.

### Water Quality Standards Review

# Rose Galer Standards and Health Protection Division Office of Science and Technology EPA Office of Water

4-20-10 6

### The Clean Water Act (CWA)

- Objective: "restore and maintain the chemical, physical and biological integrity of the Nation's waters"
- Interim goal: "water quality which provides for the protection and propagation of fish, shellfish and wildlife and provides for recreation in and on the water", wherever attainable

### Water Quality Standards

- WQS are designed to:
  - Protect public health or welfare
  - Enhance the quality of the water
  - Serve the purposes of the Clean Water Act
- WQS consist of the following components:
  - Designated uses
  - Criteria to protect those uses
  - Antidegradation policy
  - Other general policies

### Background

#### Water Quality Standards consist of:

#### **DESIGNATED USES:**

management objectives for surface waters, e.g., protection and propagation of aquatic life and recreation in and on the water



CRITERIA: numeric values and/or narrative statements that represent a level of water quality that supports the designated uses

ANTIDEGRADATION POLICY AND PROCEDURES: to maintain and protect existing water quality

11-16-09 Office of Science and Technology

ED\_000733\_DD\_NSF\_00044067-00009

### **WQS: Take Home Messages**

- State/Tribal Water Quality Standards:
  - Establish water quality goals and targets for a waterbody
  - Are used to determine attainment and nonattainment
  - Provide the regulatory basis for controls beyond technologybased limits
  - Consist of designated uses, criteria to protect those uses, antidegradation policies, and other general policies
- States, territories, authorized tribes, and EPA have important and unique roles in developing, adopting, reviewing and approving water quality standards.

### Designated Uses: What are they?

#### Regulatory:

Those uses specified in state or tribal water quality standards regulations for each water body or segment whether or not they are being attained

#### Plain language:

 A concise statement of management objectives and expectations for each of the individual surface waters under state/tribal jurisdiction

### Designated Uses: Examples

- Aquatic life
- Recreation
- Public water supply
- Agricultural
- Industrial
- Navigation
- Ceremonial Uses

- Shellfish Harvesting Areas
- Wildlife Protection
- Endangered Species
   Protection
- Hydroelectric Power

### Existing Uses: What are they?

- Existing uses are those uses actually attained in a waterbody on or after November 28, 1975, whether or not they are included in the water quality standards
- Existing uses serve as a baseline or "floor" of water quality, below which we don't want to drop

### Water Quality Criteria

A numeric or narrative statement that represents a level of a pollutant under which a particular designated use will be supported

 Intended to protect aquatic plant and animal assemblages from adverse impacts due to exposure to a pollutant.

### Water Quality Criteria Requirements

- States/Tribes must adopt criteria that protect the designated use
  - Based on a sound, scientific rationale
  - Sufficient parameters to protect the designated use
  - Must support the most sensitive use
     (for waters with multiple use designations)

### Water Quality Criteria: Types

- Aquatic Life Criteria
- Human Health Criteria

#### Criteria also exist for specific issues:

- Microbial (primary contact)
- Biological Assemblage [biocriteria]
- Nutrients
- Non-priority pollutants
- Organoleptics (taste, smell, appearance)

### Aquatic Life Criteria: Components

- Magnitude (how much)
  - Concentration derived based on published toxicity testing values
- Duration (how long can the exceedence be)
  - For acute, generally 1-hour averaging period
  - For chronic, 4-day averaging period.
- Frequency (how often can it exceed)
  - Once every 3 years, for both acute and chronic criteria

# Examples of Existing State Narrative Criteria and Related ISF Language

#### Overview

- 12 states have explicit reference to flow
  - NH, RI, VT, NY, VA, WV, KY, TN, LA, MO, and OR with CA Regions 5 and 8 SWRCB having various mentions in their "Objectives" within Regional Plans.
- 7 tribes have explicit references to flow (see handout)
- No territories have explicit references
- Many states and tribes mention flow in other measures, especially in:
  - Antidegradation policy and
  - Implementation policy- mostly to protect ONRW (outside of formal criteria in WQS) and in
  - Justification for changing uses if natural conditions are not sufficient (Use Attainability Analysis)

### Narrative Language Examples

- Narrative language
  - "Protection of designated uses" is most often used (5/11 states, 1/8 tribes)
  - the general protection or conservation of aquatic life, habitat, ecosystem, or similar reference also common.
- Question: How does the language of a narrative criterion influence how it is quantitatively translated and implemented?

### Narrative Language Examples

- LA: "The natural flow of state waters shall not be altered to such an extent that the basic character and water quality of the ecosystem are adversely affected"
- MO: "Waters shall be free from physical, chemical, or hydrologic changes that would impair the natural biological community."
- Pueblo of Santa Clara: "Natural hydrological conditions necessary to support the biological and physical characteristics naturally present in wetlands"
- For all States, see handout "Final\_Table\_StateswFlow2011.doc"

### EPA Region 1 Examples Ralph Abele, EPA

# Example State WQS which include explicit reference to water quantity

- Rhode Island WQS (1998)
  - "For activities that will likely cause or contribute to flow alterations, streamflow conditions must be adequate to protect existing and designated uses"
- New Hampshire WQS (1999)
  - "water quantity shall be maintained at levels adequate to meet existing and designated uses"
- Vermont WQS Hydrology Criteria (2000)

### Vermont Water Quality Standards Hydrology Criteria (2000)

- 1. Stream Flow Protection
  - Class A(1): No more than 5% of 7Q10 change from natural flow regime, in aggregate.
  - Class B WMT 1: Changes from natural flow regime no more than minimal amount, uses fully supported
  - Class A(2) and other Class B: Any change from natural flow regime must support uses and comply with criteria. Site specific study preferred
- 2. Flow Study Requirements/ site-specific
- 3. Water level fluctuations
- 4. High Flow Regime



### Maine LD 1488, Water Use Standards (2001)

- Establish water use standards for maintaining in-stream flows & lake or pond levels
- Standards must be based on the *natural* variation of flows and water levels.

### Maine DEP WQS Classes and Criteria

	Numeric Criteria		Narrative Criteria	
	Dissolved Oxygen	Bacteria ( <i>E. coli</i> )	Habitat	Aquatic Life (Biological)
Class AA	as naturally occurs	as naturally occurs	free flowing and natural	as naturally occurs
Class A	7 ppm; or 75% sat.	as naturally occurs	natural	as naturally occurs
Class B	7 ppm; or 75% sat.	64-GM 236/100 ml (instan- taneous)	unimpaired	support all aquatic species indigenous to the receiving water; no detrimental changes to the resident biological community
Class C	5 ppm; or 60% sat.; 30- day avg. 6.5 ppm	126-GM 236/100 ml (instan- taneous)	habitat for fish and other aquatic life	maintain the structure and function of the resident biological community
Non-attainment (NA) stream does not meet minimum criteria				

on-attainment (NA) stream does not meet minimum criteria

Tom Danielson, Maine DEP

### State and Tribal Activities: Region 4

- Tennessee DEC
   General WQ Criteria
   Chapter 1200-4-3
  - (3) Fish and Aquatic Life
    - (o) Flow Stream or other waterbody flows shall support the fish and aquatic life criteria.
  - (4) Recreation
    - (m) Flow Stream flows shall support recreational

### State and Tribal Activities: Region 4

- Tennessee DEC con't
  - DeMinimis an off-ramp from Antidegradation. 5% of 7Q10 or 10% cumulative removal.
  - Water withdrawals will be considered de minimis if less than 5% of the 7Q10 flow of the stream is removed
  - If more than one activity is authorized in a segment and the total of the impacts uses no more than 10% of the assimilative capacity, available capacity, available habitat, or 7Q10 low flow, they are presumed to be de minimus.

### State and Tribal Activities: Region 4

- NC Example "Implicit" WQS for Flow:
  - "Biological integrity = the ability of an aquatic ecosystem to support and maintain a balanced and indigenous community of organisms, having species composition, diversity, population densities and functional organization similar to that of reference conditions"
  - Could be used to support natural timing and delivery of flow to support biological integrity
  - NGOs are using it to challenge Section 401 Certifications

- **3.1 Narrative Criteria:** Summarize components of narrative criteria and available language options. Discuss legal/policy issues
  - 3.2 What are WQS?
    - 3.2.1 Designated uses (and existing uses that cannot be removed):
      - 3.2.1.1 Examples: aquatic life, primary contact recreation, public water supply, agriculture, industrial, navigation, ceremonial, shellfish harvesting areas, wildlife protection, drinking water source protection, and hydroelectric. Here, the focus is aquatic life protection.
      - 3.2.1.2 DU's need to be protected, regardless of if a criterion exists or not.
    - 3.2.2 Antidegradation policy,
    - 3.2.3 Criteria

- 3.2 What are narrative criteria (v. numeric), and why do states and tribes use them?
  - 3.2.1 Broad application (v. site specific)
  - 3.2.2 Flexible- can be tailored to management goals in quantitative translation
- 3.3 How are narrative criteria expressed in state and tribal WQS?
  - 3.3.1 Applicability options
    - 3.3.1.1 General, applying to all surface waters
    - 3.3.1.2 Specific to a particular designated use or site (or activity, e.g., Region 1)

- 3.4 How do states and tribes use narrative criteria to protect hydrologic condition both within and outside of the WQS/CWA framework?
  - 3.4.1 State and tribe examples (w/in and out WQS)
  - 3.4.2 Advantages of developing criteria for hydrologic condition
    - 3.4.2.1 Designated use protection is the goal of criteria
    - 3.4.2.2 Implementable in other CWA programs (e.g., TMDL and NPDES permits)
- 3.5 What are components of narrative criteria for protecting hydrologic condition?
  - 3.5.1 Various endpoints/Object of protection (e.g., aquatic life designated uses, biological integrity)
    - 3.5.1.1 Example language 3.5.1.1.1 Pros/Cons

- 3.6 How are narrative criteria implemented in other CWA programs?
  - 3.6.1 Translation into management of objectives and targets of other CWA programs (assessment, listing, anti-degradation, 401 certifications, TMDLs and NPDES permits)
  - 3.6.2 Translation on a case-by-case basis- example
  - 3.6.3 Specific translation procedures in guidance
    - 3.6.3.1 Within WQS- example
    - 3.6.3.2 Outside WQS (instream flow program)- example
  - 3.6.4 Activities to protect hydrologic condition- meeting criteria


#### 3.7 Legal and Policy Considerations

- 3.7.1 101(g) clarification
  - 3.7.1.1 Protecting designated uses, not allocating water rights
- 3.7.2 Precedent
  - 3.7.2.1 Caselaw: Jefferson Co. PUD: quantity v. WQ distinction is artificial
  - 3.7.2.2 States and tribes already adopted narrative criteria for hydrologic condition


### Supplementary Slides

# Implementation Examples New England

### Maine DEP definition of "Seasonal Aquatic Base Flow"







- Seasonal ABF is a median flow value for following six seasons:
  - Winter (Jan.1 to March 15, use Feb. median flow)
  - Spring (March 16 to May 15, use April median flow)
  - Early Summer (May 16 to June 30, use June median flow)
  - Summer (July 1 to Sept. 15, use August median flow)
  - <u>Fall</u> (Sept. 16 to Nov. 15, use October median flow)
  - Early Winter (Nov. 16 Dec 31, use December median flow.)

### Allowable alterations from narrative standards

#### Class AA waters

- When natural flow > spring or early winter ABF, maintain
   90% of natural flow
- When natural flow in any other season > 1.1 times season
   ABF, maintain 90% of natural flow

#### Class A waters


 May not be maintained at or below seasonal ABF for more than two consecutive seasons

#### Class B and C

May not be less than seasonal ABF

# Sustainable Flow and Aquatic Life Hydrologic Impacts Considerations

StormwaterTMDLs



### Pollutant Surrogate - Reference Stream TMDLs (Potash Brook, VT)


- Compares flow duration curves of impaired stream to reference streams
- VT uses the Q0.3% high flow value of both curves (approx. 1 year storm) to calculate flow reduction target as a daily percent
- Although not used as an approved TMDL target VT also uses Q95% as a low or base flow increase goal
- Implementation will occur through watershed permits that will specify BMPs to achieve SW runoff flow reduction targets largely through infiltration

### Pollutant Surrogate - Impervious Cover TMDLs (ME and CT)

- Compares IC% in impaired watershed to IC% in unimpaired reference watersheds
- ME uses IC% WLA targets of Class B 6 9% and Class C 8 – 13% (riparian buffer, soils, flood plain, cold water input, DO and BPJ inform target selection)
- CT uses IC% WLA target of 11% for all waters in the state (based on monitoring 125 sites in CT)
- Implementation Plan encourages disconnection of IC or mitigation of impact of IC for both future and existing development (Green Infrastructure BMPs, LID retrofits)

ED\_000733\_DD\_NSF\_00044067-00041

#### **Connecticut Impervious Cover Model**



ED\_000733\_DD\_NSF\_00044067-00042